Author index

Abdul-Razzak, K.K., Denton, M.L., Cox, D.J. and Reeck, G.R.
Isolation and characterization of folded fragments released by *Staphylococcal aureus* proteinase from the non-histone chromosomal protein HMG-1 (996) 125
Acosta, M., Arnao, M.B., Del Río, J.A. and García-Cánovas, F.
Kinetic characterization of the inactivation process of two peroxidase isoenzymes in the oxidation of indolyl-3-acetic acid (996) 7
Adamovich, T.B., Pikuleva, I.A., Chashchin, V.L. and Usanov, S.A.
Selective chemical modification of cytochrome *P*-450$_{SCC}$ lysine residues. Identification of lysines involved in the interaction with adrenodoxin (996) 247
Adamovich, T.B., see Turko, I.V. (996) 37
Arnao, M.B., see Acosta, M. (996) 7
Audenaert, R., Heremans, L., Heremans, K. and Engelborghs, Y.
Secondary structure analysis of tubulin and microtubules with Raman spectroscopy (996) 110

Barray, M., see Pochon, F. (996) 132
Barth, A., see Demuth, H.-U. (996) 19
Bârzu, O., see Wong, P.T.T. (996) 260
Beauregard, G., see Maret, A. (996) 254
Béchet, J.-J. and Houadjeto, M.
Prediction of the secondary structure of myosin light chains from comparison of homologous sequences. Implications for the interaction between myosin heavy and light chains (996) 199
Beckmann, J., see Mehlich, A. (996) 23
Behere, D.V., see Modi, S. (996) 214
Bey, P., see Skoog, M.T. (996) 89
Bianconi, A., see Congiu Castellano, A. (996) 240
Borri-Voltattorni, C., see Rosato, N. (996) 195
Burattini, E., see Congiu Castellano, A. (996) 240

Cardemil, E., see Jabalquinto, A.M. (996) 257
Castagnola, M., see Congiu Castellano, A. (996) 240
Chashchin, V.L., see Adamovich, T.B. (996) 247
Chashchin, V.L., see Turko, I.V. (996) 37
Cheney, B.V., Schulz, M.W. and Cheney, J.
Complexes of benzene with formamide and methanethiol as models for interactions of protein substructures (996) 116
Cheney, J., see Cheney, B.V. (996) 116
Chernov, N.N., see Kabanov, A.V. (996) 147
Chiasson, J.-L., see Srivastava, A.K. (996) 13
Churchich, J.E., Scholz, G. and Kwok, F.
Activation of pyridoxal kinase by metallothionein (996) 181
Cohen, G.N., see Wong, P.T.T. (996) 260
Congiu Castellano, A., Castagnola, M., Burattini, E., Dell'Ariccia, M., Della Longa, S., Giovannelli, A., Durham, P.J. and Bianconi, A.
Heterogeneity of the isolated subunits of the fetal and adult human hemoglobin in solution, detected by XANES spectroscopy (996) 240
Cox, D.J., see Abdul-Razzak, K.K. (996) 125

Delain, E., see Pochon, F. (996) 132
Della Longa, S., see Congiu Castellano, A. (996) 240
Dell'Ariccia, M., see Congiu Castellano, A. (996) 240
Del Río, J.A., see Acosta, M. (996) 7
Demuth, H.-U., Schönlein, C. and Barth, A.
Potent and selective inactivation of proteinases with *N*-peptidyl-*O*-acylhydroxylamines (996) 19
Denton, M.L., see Abdul-Razzak, K.K. (996) 125
Deschodt-Lanckman, M., see Pauwels, S. (996) 82
Dimaline, R., see Pauwels, S. (996) 82
Douste-Blazy, L., see Maret, A. (996) 254
Durham, P.J., see Congiu Castellano, A. (996) 240

Ebisuno, S., see Nakanishi, Y. (996) 209
Engelborghs, Y., see Audenaert, R. (996) 110
Evtushenko, G.N., see Kabanov, A.V. (996) 147

Finazzi-Agrò, A., see Rosato, N. (996) 195
Fujioka, M., see Ogawa, H. (996) 139
Fujisawa, K., see Ohmori, D. (996) 166
Funasaki, N., see Neya, S. (996) 226

García-Cánovas, F., see Acosta, M. (996) 7
Giovannelli, A., see Congiu Castellano, A. (996) 240
Guillou, Y., see Wong, P.T.T. (996) 260

Hashizume, T., see Ohta, K. (996) 142
Hasumi, H. and Ohmori, D.
Studies on the molecular structure of spinach ferredoxin. II. Effects of urea and sodium chloride (996) 173
Hasumi, H., see Ohmori, D. (996) 166
Heremans, K., see Audenaert, R. (996) 110
Heremans, L., see Audenaert, R. (996) 110
Hiromi, K., see Kakitani, M. (996) 76
Houadjeto, M., see Béchet, J.-J. (996) 199

Imai, K., see Neya, S. (996) 226
Isohashi, F., see Nakanishi, Y. (996) 209

Jabalquinto, A.M. and Cardemil, E.
Substrate binding order in mevalonate 5-diphosphate decarboxylase from chicken liver (996) 257
Jellali, A., see Launay, J.F. (996) 103

Kabanov, A.V., Nametkin, S.N., Evtushenko, G.N., Chernov, N.N., Klyachko, N.L., Levashov, A.V. and Martinek, K.
A new strategy for the study of oligomeric enzymes: γ-glutamyltransferase in reversed micelles of surfactants in organic solvents (996) 147
Kakitani, M., Tonomura, B. and Hiromi, K.
Static and kinetic studies on binding of a fluorescent analogue of ATP and valyl-tRNA synthetase from *Bacillus stearothermophilus* (996) 76
Kamataki, T., see Ohta, K. (996) 142
Katiyar, S.S., see Kumar, A. (996) 1
Kawasaki, N., Tanimoto, T. and Tanaka, A.
Characterization of aldose reductase and aldehyde reductase from rat testis (996) 30
Kirillova, N.M., see Turko, I.V. (996) 37
Kitada, M., see Ohta, K. (996) 142
Klyachko, N.L., see Kabanov, A.V. (996) 147
Komori, M., see Ohta, K. (996) 142

Konishi, K., see Ogawa, H. (996) 139
Kumar, A., Kumar, A. and Katiyar, S.S.
Activity and kinetic characteristics of glutathione reductase in vitro in reverse micellar waterpool (996) 1
Kumar, A., see Kumar, A. (996) 1
Kwok, F., see Churchich, J.E. (996) 181
Kyriakidis, D.A., see Lougovoi, C.P. (996) 70

La Mar, G.N., see Yamamoto, Y. (996) 187
Lau, H.K.F. and Rosenberg, R.D.
Conformational changes in human prothrombin as detected by antibody populations (996) 95
Launay, J.F., Jellali, A. and Vanier, M.T.
Glyceraldehyde-3-phosphate dehydrogenase is a microtubule binding protein in a human colon tumor cell line (996) 103
Lee, C.M., see Pauwels, S. (996) 82
Lehman, W.
35 kDa proteins are not components of vertebrate smooth muscle thin filaments (996) 57
Levashov, A.V., see Kabanov, A.V. (996) 147
Lieutenant, K., see Steinhoff, H.-J. (996) 49
Lougovoi, C.P. and Kyriakidis, D.A.
Interconversion of *Tetrahymena pyriformis* ornithine decarboxylase from inactive to active form by phosphorylation (996) 70

Makimoto, S., Nishida, H. and Taniguchi, Y.
Pressure effects on thermal inactivation of Taka-amylase A (996) 233
Mantsch, H.H., see Wong, P.T.T. (996) 260
Maret, A., Potier, M., Salvayre, R., Troly, M., Beauregard, G. and Douste-Blazy, L.
In vitro detergent activation of lysosomal acid β-glucosidase in the spleen of normal and type 1 Gaucher patients is not accompanied by change in aggregation state (996) 254
Martinek, K., see Kabanov, A.V. (996) 147
Mehdi, S., see Skoog, M.T. (996) 89
Mehlich, A., Beckmann, J., Wenzel, H.R. and Tschesche, H.
Semisynthetic aprotinin derivatives with specific alterations at the reactive-site peptide bond can be used to study structure–function relationships (996) 23
Mei, G., see Rosato, N. (996) 195
Mitra, S., see Modi, S. (996) 214
Modi, S., Behere, D.V. and Mitra, S.
Binding of aromatic donor molecules to lactoperoxidase: proton NMR and optical difference spectroscopic studies (996) 214
Murakami, M., see Ohmori, D. (996) 166

Najdovski, T., see Pauwels, S. (996) 82
Nakanishi, Y., Isohashi, F., Ebisuno, S. and Sakamoto, Y.
Sulfhydryl groups of an extramitochondrial acetyl-CoA hydrolase from rat liver (996) 209
Nametkin, S.N., see Kabanov, A.V. (996) 147
Neya, S., Funasaki, N. and Imai, K.
Etiohemin as a prosthetic group of myoglobin (996) 226
Nishida, H., see Makimoto, S. (996) 233

Ogawa, H., Konishi, K. and Fujioka, M.
The peptide sequences near the bound pyridoxal phosphateare conserved in serine dehydratase from rat liver,and threonine dehydratases from yeast and *Escherichia coli* (996) 139
Ohi, H., see Ohta, K. (996) 142
Ohmori, D., Hasumi, H., Yamakura, F., Murakami, M., Fujisawa, K., Taneoka, Y. and Yamamura, T.
Studies on the molecular structure of spinach ferredoxin. I. Comparison of two molecular species of ferredoxin (996) 166
Ohmori, D., see Hasumi, H. (996) 173
Ohta, K., Kitada, M., Hashizume, T., Komori, M., Ohi, H. and Kamataki, T.
Purification of cytochrome *P*-450 from polychlorinated biphenyl-treated crab-eating monkeys: high homology to a form of human cytochrome *P*-450 (996) 142

Papadopoulos, A., see Senger, D.R. (996) 43
Pauwels, S., Najdovski, T., Dimaline, R., Lee, C.M. and Deschodt-Lanckman, M.
Degradation of human gastrin and CCK by endopeptidase 24.11: differential behaviour of the sulphated and unsulphated peptides (996) 82
Perruzzi, C.A., see Senger, D.R. (996) 43
Pikuleva, I.A., see Adamovich, T.B. (996) 247
Pochon, F., Barray, M. and Delain, E.
Dissociation of α_2M-macroglobulin into functional half-molecules by mild acid treatment (996) 132
Potier, M., see Maret, A. (996) 254

Queen, S.A., Vander Jagt, D.L. and Reyes, P.
Characterization of adenine phosphoribosyltransferase from the human malaria parasite, *Plasmodium falciparum* (996) 160

Redhardt, A., see Steinhoff, H.-J. (996) 49
Reeck, G.R., see Abdul-Razzak, K.K. (996) 125
Rega, A.F., see Rossi, J.P.F.C. (996) 153
Reyes, P., see Queen, S.A. (996) 160
Rosato, N., Mei, G., Finazzi-Agrò, A., Tancini, B. and Borri-Voltattorni, C.
Time-resolved extrinsic fluorescence of aromatic-L-amino-acid decarboxylase (996) 195
Rosenberg, R.D., see Lau, H.K.F. (996) 95
Rossi, J.P.F.C. and Rega, A.F.
A study to see whether phosphatidylserine, partial proteolysis and EGTA substitute for calmodulin during activation of the Ca^{2+}-ATPase from red cells membranes by ATP (996) 153

Saint Girons, I., see Wong, P.T.T. (996) 260
Sakamoto, Y., see Nakanishi, Y. (996) 209
Salvayre, R., see Maret, A. (996) 254
Scholz, G., see Churchich, J.E. (996) 181
Schönlein, C., see Demuth, H.-U. (996) 19
Schulz, M.W., see Cheney, B.V. (996) 116
Senger, D.R., Perruzzi, C.A., Papadopoulos, A. and Tenen, D.G.
Purification of a human milk protein closely similar to tumor-secreted phosphoproteins and osteopontin (996) 43
Singh, B.R. and Song, P.-S.
Interactions between native oat phytochrome and tetrapyrroles (996) 62
Skoog, M.T., Mehdi, S., Wiseman, J.S. and Bey, P.
The specificity of two proteinases that cleave adjacent to arginine, Cl esterase and acrosin, for peptide *p*-nitroanilide substrates (996) 89
Song, P.-S., see Singh, B.R. (996) 62
Srivastava, A.K. and Chiasson, J.-L.
Comparative characterization of receptor and non-receptor associated protein tyrosine kinases (996) 13
Steinhoff, H.-J., Lieutenant, K. and Redhardt, A.
Conformational transition of aquomethemoglobin: intramolecular histidine E7 binding reaction to the heme iron in the temperature range between 220 K and 295 K as seen by EPR and temperature-jump measurements (996) 49

Tanaka, A., see Kawasaki, N. (996) 30
Tancini, B., see Rosato, N. (996) 195

Taneoka, Y., see Ohmori, D. (996) 166
Taniguchi, Y., see Makimoto, S. (996) 233
Tanimoto, T., see Kawasaki, N. (996) 30
Tenen, D.G., see Senger, D.R. (996) 43
Tonomura, B., see Kakitani, M. (996) 76
Troly, M., see Maret, A. (996) 254
Tschesche, H., see Mehlich, A. (996) 23
Turko, I.V., Adamovich, T.B., Kirillova, N.M., Usanov, S.A. and Chashchin, V.L.
Cross-linking studies of the cholesterol hydroxylation system from bovine adrenocortical mitochondria (996) 37

Usanov, S.A., see Adamovich, T.B. (996) 247
Usanov, S.A., see Turko, I.V. (996) 37

Vander Jagt, D.L., see Queen, S.A. (996) 160
Vanier, M.T., see Launay, J.F. (996) 103

Wenzel, H.R., see Mehlich, A. (996) 23
Wiseman, J.S., see Skoog, M.T. (996) 89
Wong, P.T.T., Saint Girons, I., Guillou, Y., Cohen, G.N., Bârzu, O. and Mantsch, H.H.
Pressure-induced changes in the secondary structure of the *Escherichia coli* methionine repressor protein (996) 260

Yamakura, F., see Ohmori, D. (996) 166
Yamamoto, Y. and La Mar, G.N.
Proton NMR investigation of the influence of subunit assembly on the low-spin ⇌ high-spin equilibrium of met-azido hemoglobin A (996) 187
Yamamura, T., see Ohmori, D. (996) 166